





Philip A. Chan, MD, MS
Rhode Island Department of Health
October 9, 2018

Improving Adolescent Sexual Health



Current Sexual Activity Among High School Students, Rhode Island, 2007 - 2017




The percentage of high school students who are currently sexually active (defined as sexual intercourse within the past three months) has decreased from 33% to 25% since 2007.

Improving Adolescent Sexual Health



Pregnancy Rates per 1,000 Females, Age 15-19,
Rhode Island, 2012-2016



DID YOU KNOW?


Teen pregnancy rates have decreased 38.9% since 2012. These trends have been consistent with national trends.

- Rhode Island is second in New England for teen pregnancy rates (18.2 per 1,000 girls aged 15-19).

Improving Adolescent Sexual Health



Sexually Active High School Students Reporting No Condom Use At Last Sexual Intercourse, Rhode Island, 2007 - 2017



DID YOU KNOW?



The percentage of sexually active high school students reporting no condom use at last intercourse has increased from 34% in 2007 to 42% in 2017.

Improving Adolescent Sexual Health




DID YOU

66% **KNOW?**

of chlamydia cases in 2016 were among individuals 24 and younger.

Reported Cases of Chlamydia, Rhode Island, 2007 - 2016




In 2017, there were 5,282 total cases of chlamydia reported in Rhode Island; 1,534 were among 14-19 year-olds.

Improving Adolescent Sexual Health



Sexual Health Education

- Engage parents, schools, and students
- Ongoing discussion (not one time only)
- Discuss preventative health options
- Understand trends and behaviors over time





Philip A. Chan, MD, MS
Consultant Medical Director
Center for HIV, Hepatitis, STD, and TB Epidemiology
Rhode Island Department of Health
Philip.Chan@health.ri.gov